



Montana Department of Transportation
PO Box 201001
Helena, MT 59620-1001

MEMORANDUM

To: See Distribution
From: Kevin Christensen, P.E.
Construction Engineer
Date: October 7, 2008
Subject: Supplemental Specification Revision: 703.02.1, Plastic Conduit

The Construction Administration Services Bureau is proposing revisions to Standard Specification 703.02.1, Plastic Conduit, following the Standard Specification Revision Process outlined in the Construction Engineer's Memorandum dated May 2008. The following information is provided.

1. Standard Specification 703.02.1, Plastic Conduit, will be modified.
2. The Proposed Draft of the change is attached along with this memorandum.
3. Revisions to the Standard Specifications are needed to address changes in Plastic Conduit requirements.
4. Those impacted by the change include:
Construction, Contractors, EPM's
5. The following individuals were consulted and/or involved in developing the proposed revisions:
CAS Bureau, CES Bureau, MCA

*It is requested that written comments on **the proposed revisions only**, be returned to mdtspecifications@mt.gov no later than October 31, 2008.*

DISTRIBUTION:

Loran Frazier
Jim Walther
Eng. Bureau Chiefs
District Administrators

Dist. Const. Engineers
MDT Legal
Construction Reviewers
Materials Lab Supervisors

MDT EPM's
FHWA
MCA

703.02.1 Plastic Conduit

Furnish rigid polyvinyl chloride meeting UL 651 or UL 651B, schedule 80, 150 °F (66 °C) wire rated, direct bury type, or directional boring. Install conduit meeting the applicable requirements of Section 616.